

BORON STATISTICS¹
U.S. GEOLOGICAL SURVEY

[All values are in metric tons (t) boron oxide (B₂O₃) content unless otherwise noted]

Last modification: August 5, 2011

Year	Production	Imports	Exports	Apparent consumption	Unit value (\$/t)	Unit value (98\$/t)	World production (gross weight)
1900	9,250	178	NA	9,430	111	2,170	46,900
1901	8,420	297	NA	8,720	123	2,390	42,900
1902	7,590	362	NA	7,950	327	6,140	41,300
1903	12,300	219	NA	12,500	56.6	1,020	54,700
1904	16,300	225	NA	16,500	45.1	815	65,200
1905	16,500	205	NA	16,700	62.9	1,140	65,800
1906	20,700	395	NA	21,100	58.9	1,070	87,400
1907	18,800	514	NA	19,300	63.2	1,100	95,300
1908	8,910	204	NA	9,110	111	2,010	74,800
1909	14,800	73.3	NA	14,900	104	1,880	86,800
1910	15,100	87.2	NA	15,200	80	1,390	67,100
1911	19,000	125	NA	19,100	83.2	1,450	99,000
1912	15,100	64.3	NA	15,200	75.2	1,270	86,000
1913	20,700	110	NA	20,800	72.6	1,190	55,100
1914	34,600	110	NA	34,700	42.8	698	NA
1915	36,300	114	NA	36,400	46.6	752	NA
1916	49,900	90.8	NA	50,000	48.6	727	NA
1917	52,000	87.2	NA	52,100	69.8	888	NA
1918	44,000	66.2	NA	44,100	51.9	560	NA
1919	36,800	70.8	NA	36,900	38	358	NA
1920	60,200	0.634	2,740	56,600	36.7	299	NA
1921	18,900	47.0	NA	17,900	89.9	818	NA
1922	33,000	0.161	NA	30,600	88.5	859	NA
1923	54,000	0.195	NA	49,100	81.4	776	NA
1924	47,300	NA	NA	41,800	76.2	726	NA
1925	47,200	NA	NA	41,000	75.3	701	NA
1926	47,900	NA	NA	41,800	74.8	689	NA
1927	41,500	NA	NA	41,500	83.8	785	NA
1928	52,300	2,120	26,000	28,400	76.1	726	NA
1929	68,200	2,110	30,600	39,700	66.7	636	NA
1930	71,300	2.76	31,700	39,600	75.1	733	NA
1931	68,400	236	33,300	35,300	72.1	774	NA
1932	69,600	0.101	34,300	35,300	43.4	517	NA
1933	72,000	0.176	33,600	38,400	47.7	599	NA
1934	92,800	0.055	39,700	53,100	51.9	632	NA
1935	105,000	0.124	53,000	52,000	51.5	613	NA
1936	120,000	0.312	47,200	72,800	51.3	601	NA
1937	137,000	0.120	71,300	65,700	52.6	596	NA
1938	82,600	0.104	35,900	46,700	57.4	664	NA
1939	74,200	0.128	34,900	39,300	76.7	899	NA
1940	73,400	0.125	24,600	48,800	76.9	895	NA
1941	86,400	0.335	16,000	70,400	78.6	871	NA
1942	70,400	NA	14,000	56,400	81.5	815	NA
1943	79,500	0.086	10,400	69,100	80.6	759	NA
1944	83,200	NA	12,500	70,700	79.1	732	NA
1945	94,900	0.223	16,600	78,300	80.5	729	NA
1946	118,000	16.6	20,400	97,600	81.4	680	NA
1947	132,000	0.312	32,800	99,200	89.6	655	NA
1948	122,000	0.506	27,200	94,900	91.3	617	NA
1949	126,000	0.147	41,900	84,100	91.2	624	NA
1950	173,000	0.203	54,600	118,000	91.2	617	NA

BORON STATISTICS¹
U.S. GEOLOGICAL SURVEY

[All values are in metric tons (t) boron oxide (B₂O₃) content unless otherwise noted]

Last modification: August 5, 2011

Year	Production	Imports	Exports	Apparent consumption	Unit value (\$/t)	Unit value (98\$/t)	World production (gross weight)
1951	219,000	0.236	81,700	137,000	91.6	574	NA
1952	153,000	0.142	39,500	114,000	92	566	NA
1953	194,000	0.103	53,300	141,000	91.3	557	NA
1954	209,000	NA	78,700	130,000	128	774	NA
1955	223,000	3.65	85,200	138,000	138	837	NA
1956	243,000	10.0	93,300	150,000	135	807	NA
1957	244,000	2,320	82,100	164,000	155	899	NA
1958	241,000	7.840	90,200	151,000	160	902	NA
1959	285,000	NA	97,100	188,000	163	911	NA
1960	294,000	NA	115,000	179,000	163	897	NA
1961	284,000	NA	103,000	181,000	165	901	NA
1962	308,000	NA	112,000	196,000	160	862	NA
1963	335,000	NA	130,000	205,000	164	875	NA
1964	386,000	16.0	147,000	239,000	158	830	172,000
1965	386,000	2,280	81,500	307,000	166	858	189,000
1966	419,000	4,350	97,300	326,000	164	824	209,000
1967	429,000	9,820	87,400	351,000	160	781	221,000
1968	471,000	6,880	97,500	380,000	161	754	232,000
1969	500,000	8,820	110,000	399,000	161	714	251,000
1970	510,000	9,920	110,000	410,000	168	707	257,000
1971	515,000	2,670	95,400	422,000	174	700	284,000
1972	551,000	7,340	89,100	469,000	173	674	314,000
1973	602,000	6,620	99,300	509,000	187	688	342,000
1974	562,000	7,940	117,000	453,000	227	750	328,000
1975	547,000	10,100	115,000	442,000	287	870	354,000
1976	572,000	11,000	116,000	467,000	320	917	2,340,000
1977	667,000	25,800	141,000	552,000	355	954	2,730,000
1978	706,000	46,100	164,000	588,000	397	991	2,660,000
1979	725,000	36,200	175,000	586,000	427	960	2,520,000
1980	710,000	32,300	173,000	476,000	509	1010	2,610,000
1981	671,000	15,100	152,000	534,000	622	1120	2,560,000
1982	551,000	8,030	123,000	436,000	690	1170	2,270,000
1983	578,000	13,800	124,000	468,000	755	1240	2,240,000
1984	667,000	28,300	289,000	344,000	743	1170	2,510,000
1985	577,000	28,500	314,000	292,000	773	1170	2,510,000
1986	571,000	24,300	310,000	285,000	789	1170	2,510,000
1987	625,000	24,400	316,000	333,000	783	1120	2,690,000
1988	578,000	23,700	310,000	570,000	750	1030	2,990,000
1989	562,000	21,100	353,000	230,000	758	996	2,990,000
1990	608,000	21,400	320,000	309,000	720	898	2,910,000
1991	626,000	20,000	309,000	337,000	712	852	2,960,000
1992	554,000	38,300	294,000	298,000	658	765	2,670,000
1993	574,000	120,000	287,000	407,000	710	801	2,640,000
1994	550,000	73,100	303,000	320,000	779	857	3,810,000
1995	728,000	91,500	342,000	478,000	745	797	4,020,000
1996	581,000	90,100	218,000	453,000	836	869	4,330,000
1997	604,000	115,000	293,000	426,000	874	888	4,580,000
1998	587,000	105,000	291,000	401,000	775	775	4,570,000
1999	618,000	108,000	249,000	477,000	927	907	4,460,000
2000	546,000	84,000	278,000	352,000	941	891	4,600,000
2001	536,000	90,000	161,000	482,000	879	809	4,740,000

BORON STATISTICS¹
U.S. GEOLOGICAL SURVEY

[All values are in metric tons (t) boron oxide (B₂O₃) content unless otherwise noted]

Last modification: August 5, 2011

Year	Production	Imports	Exports	Apparent consumption	Unit value (\$/t)	Unit value (98\$/t)	World production (gross weight)
2002	543,000	124,000	124,000	492,000	826	748	4,580,000
2003	605,000	73,000	96,900	532,000	934	827	4,750,000
2004	637,000	85,600	92,900	509,000	934	806	4,960,000
2005	612,000	89,900	209,000	439,000	935	780	4,950,000
2006	W	118,000	260,000	W	935	756	3,620,000
2007	W	91,000	293,000	W	935	735	4,200,000
2008	W	76,200	350,000	W	934	707	4,480,000
2009	W	49,100	240,000	W	878	667	3,760,000
2010	W	53,800	280,000	W	680	508	4,080,000

NA Not available. W Withheld to avoid disclosing company proprietary data.

¹Compiled by D.A. Buckingham (retired), P.A. Lyday (retired), D.S. Kostick, D.E. Polyak, and M.A. Angulo.

Data are calculated, estimated, or reported. See notes for more information.

Boron Worksheet Notes

Data Sources

Sources for the boron worksheet are the mineral statistics publications of the U.S. Bureau of Mines and the U.S. Geological Survey—Minerals Yearbooks (MYB) and its predecessor, Mineral Resources of the United States (MR); and Mineral Facts and Problems (MFP) publications. Years of publication and corresponding years of data coverage are listed in the References section below. Zeros are used where data are reported as a “small unreported amount.”

Production

Production data are essentially shipments and include crude ore, and boron minerals and compounds sold or used by producers, including actual boron oxide and marketable products. USGS boron data predate 1900; however, for these statistics, data are reported only for 1900 to the most recent year. Data for 1919–24 are reported as “shipped by producers.” Production data for 2006 to the most recent year are withheld. All data are in terms of boron oxide (B_2O_3) content. If the B_2O_3 content was not reported, it was calculated using the theoretical percentage of B_2O_3 in each borate mineral or compound sold or used. Data are reported in the MR and the MYB.

Imports

Import data are not reported for 1924–27, 1942, 1944, and 1959–60. Their B_2O_3 content was calculated using the theoretical percentage of B_2O_3 in each borate compound imported. For the “other borates” category, contained B_2O_3 was calculated using the average (mean) B_2O_3 content of the sodium boron compounds. Data are totaled on an annual basis. Data are reported in the MR and the MYB.

Exports

Export data were not reported prior to 1928, with the exception of 1920. Data are boron compound exports, totaled on an annual basis. Their B_2O_3 content was calculated using the theoretical percentage of B_2O_3 in each borate compound exported. Data for 2001 to the most recent year were provided by the USGS boron commodity specialist. Data are reported in the MR and the MYB.

Consumption

Consumption data are in terms of B_2O_3 content. Data were not available for 1970–72, 1995, and 1998. Consumption data are reported in the MR and the MYB.

Apparent Consumption

Apparent consumption data are in terms of B_2O_3 content. For 1900–19, apparent consumption was equal to production, as defined above, plus imports. Export data are not available and therefore assumed to be zero. For 1921–27, apparent consumption was interpolated. Apparent consumption was estimated for 1920 and 1928 to 2004 using the following formula:

$$\text{APPARENT CONSUMPTION} = (\text{PRODUCTION} + \text{IMPORTS}) - \text{EXPORTS}.$$

Data for this equation are reported in the MR and the MYB. Data for 2006 to the most recent year are withheld.

Unit Value (\$/t)

Unit value is defined as the estimated value of apparent consumption in U.S. dollars of 1 metric ton (t) of B_2O_3 content. For 1900 to the most recent year, unit value is based on the following formula:

$$\text{UNIT VALUE} = [\text{PRODUCTION (Sold or Used) VALUE} - \text{EXPORT VALUE} + \text{IMPORT VALUE}] / [\text{PRODUCTION (Sold or Used)} - \text{EXPORTS} + \text{IMPORTS}].$$

For the years where import and export value data are not available, they are assumed zero, and the reported boron production, as defined above, unit value is used. Data are reported in the MR and the MYB. Fluctuations in the unit value in certain years or over a span of years may result from a combination of unavailable data and changes in the mix of boron-containing products used in the calculation. This calculated unit value is not the same as the reported price or unit value of reported quantities for the MYB.

Unit Value (98\$/t)

The Consumer Price Index conversion factor, with 1998 as the base year, is used to adjust unit value in current U.S. dollars to the unit value in constant 1998 U.S. dollars.

World Production

Data are world mine production. For most years, world mine production data are reported in gross weight. Data could not be converted to contained B_2O_3 , because various boron units are used when reporting the minerals and compounds of boron. World production data are not reported for 1914–64. Data reported in the MR and MYB cover 1900–13 and 1976 to the most recent year and are all gross weight data. Data for 1964–75 are the calculated B_2O_3 content and are reported in the 1975 and 1980 MFP. World production data from 2006 to most recent do not include U.S. production.

References

- U.S. Bureau of Mines, 1927–34, Mineral Resources of the United States, 1924–31.
U.S. Bureau of Mines, 1933–96, Minerals Yearbook, 1932–94.
U.S. Bureau of Mines, 1975, Mineral Facts and Problems, 1975 ed.: U.S. Bureau of Mines, Bulletin 667.
U.S. Bureau of Mines, 1980, Mineral Facts and Problems, 1980 ed.: U.S. Bureau of Mines Bulletin 671.
U.S. Geological Survey, 1901–27, Mineral Resources of the United States, 1900–23.
U.S. Geological Survey, 1995–present, Minerals Yearbook, v. I. (Available via <http://minerals.usgs.gov/minerals>.)

Recommended Citation Format:

- U.S. Geological Survey, [year of last update, e.g., 2005], [Mineral commodity, e.g., Gold] statistics, *in* Kelly, T.D., and Matos, G.R., comps., Historical statistics for mineral and material commodities in the United States: U.S. Geological Survey Data Series 140, accessed [date], at <http://pubs.usgs.gov/ds/2005/140/>.

For more information, please contact:

[USGS Boron Commodity Specialist](#)